

CCAA 四合一

Linux 四合一Aria2 + AriaNg + FileBrowser 四合一

- 一
- 二
- 三
- 四 & 五
- 六



CCAA Cent0S + Caddy + AriaNg + Aria2 CCAA CentOS Debian Ubuntu 2.0

CCAA

- Aria2
- ccaa_webAriaNg
- AriaNgAria2 WEB
- Filemanager



- HTTP/HTTPS/FTP/BT/
-
-



- CentOS 7-8 Debian 8-10 Ubuntu 16-18
- 64



img not found or type unknown

img not found or type unknown



- Blog: <https://www.xiaoz.me/>
- QQ: 337003006
- : 147687134



img not found or type unknown



root

```
#  
bash <(curl -Lsk https://raw.githubusercontent.com/helloxz/ccaa/master/ccaa.sh)  
#  
bash <(curl -Lsk https://raw.githubusercontent.com/helloxz/ccaa/master/ccaa.sh) cdn
```

-bash: curl: command not found curl curl

```
#Debian or Ubuntu  
apt-get -y install curl  
#CentOS  
yum -y install curl
```

1 CCAA

img
image not found or type unknown

RPC

img
image not found or type unknown

Aria2 RPC File Browser

img
image not found or type unknown

http://IP:6080/AriaNg - RPC Aria2 RPC

img
image not found or type unknown

Docker

```
docker run --name="ccaa" -d -p 6080:6080 -p 6081:6081 -p 6800:6800 -p 51413:51413 \
  -v /data/ccaaDown:/data/ccaaDown \
  -e PASS="xiaoz.me" \
  helloz/ccaa \
  sh -c "dcaa pass && dcaa start"
```

- /data/ccaaDown [REDACTED] CCAA[REDACTED]
- xiaoz.me [REDACTED] Aria2[REDACTED]
- ccaa admin [REDACTED]



- 6080/6800/6081/6998/51413
- [REDACTED] BT[REDACTED]



Image not found or type unknown

img
Image not found or type unknown

Image not found or type unknown

BT Tracker BT BT BT CCAA BT Tracker

The diagram illustrates a network topology where three 'BT Tracker' devices are connected to a central 'BT' module. Each 'BT Tracker' is represented by a rectangular box with a grid pattern, and the central 'BT' module is a similar box. Lines connect each 'BT Tracker' to the central 'BT' module, indicating a star topology.

```
/etc/ccaa/upbt. sh [REDACTED] BT Tracker [REDACTED]
```

```
[root@li1438-176 ~]# /etc/ccaa/upbt.sh
--2018-10-01 05:56:28-- https://api.xiaoz.org/trackerslist/
Resolving api.xiaoz.org (api.xiaoz.org)... 162.220.14.19
Connecting to api.xiaoz.org (api.xiaoz.org)|162.220.14.19|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: unspecified [text/html]
Saving to: '/tmp/trackers best.txt'
```

$$\langle \equiv \rangle$$

```
] 789      --.-K/s      in 0s
```

```
2018-10-01 05:56:29 (47.3 MB/s) - '/tmp/trackers best.txt' saved [789]
```

.....

bt-tracker update completed.



```
# CCAA
```

```
ccaa
```

```
# ccaa
```

```
ccaa status
```

```
# ccaa
```

```
ccaa start
```

```
# ccaa
```

```
ccaa stop
```

```
# ccaa
```

```
ccaa restart
```

```
#
```

```
ccaa -v
```

二 & 二

二二二

CCAA /etc/ccaa/ 二二二二二二二二.

```
[root@zhanmei ~]# ll /etc/ccaa
二二 1764
-rw-r--r-- 1 root root 4486 2月 29 15:49 aria2.conf --- aria2二二二
-rw-r--r-- 1 root root 166 2月 29 17:50 aria2.session --- aria2 session二
-rw-r--r-- 1 root root 182 2月 29 15:49 config.json --- Filebrowser二二
-rw----- 1 root root 65536 2月 29 15:51 filebrowser.db --- Filebrowser二
-rw-r--r-- 1 root root 1738064 2月 29 15:50 index.html --- AriaNg二
-rwxr-xr-x 1 root root 740 2月 29 14:08 upbt.sh --- BtTracker二二
-rw-r--r-- 1 root root 3 2月 29 14:08 version.txt --- CCAA二二
```

二二二

- Filebrowser /usr/sbin/filebrowser
- Aria2 /usr/bin/aria2c
- ccaa_web /usr/sbin/ccaa_web
- CCAA /usr/sbin/ccaa

二二二

CCAA /var/log/ 二二二二

- Aria2 aria2.log
- FileBrowser filebrowser.log
- FileBrowser fbrun.log]
- ccaa_web ccaa_web.log

二二二


```
#Aria2 RPC
cat /etc/ccaa/aria2.conf | grep 'rpc-secret='
```

RPC

- Aria2 /etc/ccaa/aria2.conf rpc-secret=
- ccaa restart

AriaNG

AriaNG ccaa_web 6080 , CCA v2.1 ccaa -v 2.1

```
root@debian-1cpu-1gb-us-sj01: ~# ccaa -v
2.1
```

1 ccaa stop CCA

2 /etc/systemd/system/ccaa_web.servic

```
ExecStart=/usr/bin/sudo -u ccaa /usr/sbin/ccaa_web
```

```
ExecStart=/usr/bin/sudo -u ccaa /usr/sbin/ccaa_web /etc/ccaa/AriaNg 8888
```

8888

3 /usr/sbin/ccaa

```
nohup sudo -u ccaa /usr/sbin/ccaa_web > /var/log/ccaa_web.log 2>&1 &
```

```
nohup sudo -u ccaa /usr/sbin/ccaa_web /etc/ccaa/AriaNg 8888 > /var/log/ccaa_web.log 2>&1 &
```

8888 2

4 ccaa start CCA

CCA

CCAA v2.1 ccaa -v 2.1

```
root@debian-1cpu-1gb-us-sj01: ~# ccaa -v
2.1
```

```
systemctl enable aria2
systemctl enable ccaa_web
systemctl enable filebrowser
```

BT Tracker

crontab BT Tracker

```
#crontab
yum -y install crontabs
#
crontab -e
#
* 2 * * 7 /etc/ccaa/upbt.sh > /dev/null
#crontab
service crond reload #CentOS 6
systemctl reload crond #CentOS 7
```

CCAA

ccaa CCAA

```
bash <(curl -Lsk https://raw.githubusercontent.com/helloxz/ccaa/master/ccaa.sh)
```

img not found or type unknown

- https://github.com/helloxz/ccaa/issues
- QQ:337003006









□□□□□AriaNg□□□□□

RPCAriaNg - RPC Aria2 RPC

image not found or type unknown

BT/

XXXXXXXXXXXXXXXXXXXXCCAAXXXXBTXXXXXXXXXXXXXXXXXXXX

1. 
2. 
3. 
4. BT Tracker/etc/ccaa/upbt.sh BT Tracker



Filebrowser .mp4

[illegible]

6080 AriaNg AriaNg RPC



```
chown -R ccaa: ccaa /
```