

CCAA 教程

Linux 安装 Aria2 + AriaNg + FileBrowser 教程

- 安装
- 配置
- 启动
- 访问 & 管理
- 进阶



CCAA Cent0S + Caddy + AriaNg + Aria2 CCAA CentOS Debian Ubuntu 2.0

CCAA

- Aria2
- ccaa_webAriaNg
- AriaNgAria2 WEB
- Filemanager



- HTTP/HTTPS/FTP/BT/
-
-



- CentOS 7-8 Debian 8-10 Ubuntu 16-18
- 64



img not found or type unknown

img not found or type unknown



- Blog: <https://www.xiaoz.me/>
- QQ: 337003006
- : 147687134



img not found or type unknown



root

```
#  
bash <(curl -Lsk https://raw.githubusercontent.com/helloxz/ccaa/master/ccaa.sh)  
#  
bash <(curl -Lsk https://raw.githubusercontent.com/helloxz/ccaa/master/ccaa.sh) cdn
```

-bash: curl: command not found curl curl

```
#Debian or Ubuntu  
apt-get -y install curl  
#CentOS  
yum -y install curl
```

1 CCAA

img
image not found or type unknown

RPC

img
image not found or type unknown

Aria2 RPC File Browser

img
image not found or type unknown

http://IP:6080/AriaNg - RPC Aria2 RPC

img
image not found or type unknown

Docker

```
docker run --name="ccaa" -d -p 6080:6080 -p 6081:6081 -p 6800:6800 -p 51413:51413 \
  -v /data/ccaaDown:/data/ccaaDown \
  -e PASS="xiaoz.me" \
  helloz/ccaa \
  sh -c "dcaa pass && dcaa start"
```

- /data/ccaaDown [REDACTED] CCAA[REDACTED]
- xiaoz.me [REDACTED] Aria2[REDACTED]
- ccaa admin [REDACTED]



- 6080/6800/6081/6998/51413
- [REDACTED] BT[REDACTED]



Image not found or type unknown

img
Image not found or type unknown

img
Image not found or type unknown

BT Tracker BT BT BT CCAA BT Tracker

The diagram illustrates a network topology where three 'BT Tracker' devices are connected to a central 'BT' module. Each 'BT Tracker' is represented by a rectangular box with a grid pattern. The central 'BT' module is a smaller rectangular box. Lines connect each 'BT Tracker' to the central 'BT' module, forming a star topology.

```
/etc/ccaa/upbt. sh [REDACTED]BT Tracker[REDACTED]
```

```
[root@li1438-176 ~]# /etc/ccaa/upbt.sh
--2018-10-01 05:56:28-- https://api.xiaoz.org/trackerslist/
Resolving api.xiaoz.org (api.xiaoz.org)... 162.220.14.19
Connecting to api.xiaoz.org (api.xiaoz.org)|162.220.14.19|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: unspecified [text/html]

Saving to: '/tmp/trackers best.txt'
```

 $\langle \Rightarrow \rangle$

```
] 789      --.-K/s      in 0s
```

```
2018-10-01 05:56:29 (47.3 MB/s) - '/tmp/trackers best.txt' saved [789]
```

.....

bt-tracker update completed.



```
# CCAA
```

```
ccaa
```

```
# ccaa
```

```
ccaa status
```

```
# ccaa
```

```
ccaa start
```

```
# ccaa
```

```
ccaa stop
```

```
# ccaa
```

```
ccaa restart
```

```
#
```

```
ccaa -v
```

二 & 二

二二二

CCAA /etc/ccaa/ 二二二二二二二二.

```
[root@zhanmei ~]# ll /etc/ccaa
```

```
二二 1764
```

```
-rw-r--r-- 1 root root 4486 2二 29 15:49 aria2.conf --- aria2二二二
-rw-r--r-- 1 root root 166 2二 29 17:50 aria2.session --- aria2 session二
-rw-r--r-- 1 root root 182 2二 29 15:49 config.json --- Filebrowser二二
-rw----- 1 root root 65536 2二 29 15:51 filebrowser.db --- Filebrowser二
-rw-r--r-- 1 root root 1738064 2二 29 15:50 index.html --- AriaNg二
-rwxr-xr-x 1 root root 740 2二 29 14:08 upbt.sh --- BtTracker二二
-rw-r--r-- 1 root root 3 2二 29 14:08 version.txt --- CCAA二二
```

二二二二

- Filebrowser /usr/sbin/filebrowser
- Aria2 /usr/bin/aria2c
- ccaa_web /usr/sbin/ccaa_web
- CCAA /usr/sbin/ccaa

二二二二

CCAA /var/log/ 二二二二

- Aria2 aria2.log
- FileBrowser filebrowser.log
- FileBrowser fbrun.log]
- ccaa_web ccaa_web.log

二二二二

```
#Aria2 RPC
cat /etc/cca/aria2.conf | grep 'rpc-secret='
```

RPC

- Aria2 /etc/cca/aria2.conf rpc-secret=
- cca restart

AriaNG

AriaNG cca_web 6080, CCA v2.1 cca -v 2.1

```
root@debian-1cpu-1gb-us-sj01: ~# cca -v
2.1
```

1 cca stop CCA

2 /etc/systemd/system/cca_web.servic

```
ExecStart=/usr/bin/sudo -u cca /usr/sbin/cca_web
```

```
ExecStart=/usr/bin/sudo -u cca /usr/sbin/cca_web /etc/cca/AriaNg 8888
```

8888

3 /usr/sbin/cca

```
nohup sudo -u cca /usr/sbin/cca_web > /var/log/cca_web.log 2>&1 &
```

```
nohup sudo -u cca /usr/sbin/cca_web /etc/cca/AriaNg 8888 > /var/log/cca_web.log 2>&1 &
```

8888 2

4 cca start CCA

CCA

CCAA v2.1 ccaa -v 2.1

```
root@debian-1cpu-1gb-us-sj01: ~# ccaa -v
2.1
```

```
systemctl enable aria2
systemctl enable ccaa_web
systemctl enable filebrowser
```

BT Tracker

crontab BT Tracker

```
#crontab
yum -y install crontabs
#
crontab -e
#
* 2 * * 7 /etc/ccaa/upbt.sh > /dev/null
#crontab
service crond reload #CentOS 6
systemctl reload crond #CentOS 7
```

CCAA

ccaa CCAA

```
bash <(curl -Lsk https://raw.githubusercontent.com/helloxz/ccaa/master/ccaa.sh)
```

img
Image not found or type unknown

- https://github.com/helloxz/ccaa/issues
- QQ:337003006









 AriaNg

RPC AriaNg - RPC Aria2 RPC

image not found or type unknown

BT/

XXXXXXXXXXXXCCAA[]BTXXXXXXXXXXXX

1. 
2. 
3. 
4. BT Tracker/etc/ccaa/upbt.sh BT Tracker



Filebrowser H.265/H.264 .mp4 https://www

[illegible][illegible]

```
chown -R ccaa: ccaa /
```