







ImgURL ProBackblaze B2COSFTP

- 
- 
- Backblaze B2
- COS
- FTP
- 
- AWS S3



ImgURL Pro Backblaze B2 COS FTP

- -



-
- Backblaze B2: B2
- COS
- FTP: FTP
- 10G 10G



FTP (/) /



img not found or type unknown

1. " "
2. " "



XXXXXXXXXXXXXXXXXXXX(0)XXCDNXXXX

img
Image not found or type unknown

XXCDNXXXX

XXXXXXXXAXXXXXXXXAXXXXXXXXCDNXXXXXXXXXXXX

- 1. XXAXXXXXXB
- 2. XXXXXCDNXXXXCloudFlareXXXXBXXCDNXX
- 3. XXXXImgURLXX - XXXX - XXXX - XX - XXBXXXX

Backblaze B2

Backblaze

Backblaze <https://www.backblaze.com/> 10\$ /



Backblaze B2

image not found or type unknown

Backblaze B2 API

Backblaze - App Keys

image not found or type unknown

KeyID "B2" "imgurl"

image not found or type unknown

URL https://f002.backblazeb2.com/file/imgurl/imgs/2019/06/a91bf049

image not found or type unknown

<https://f002.backblazeb2.com/file/imgurl/> <KeyID> <URL>



config.php

- \$config['b2']['b2_app_key_id']: KeyID
- \$config['b2']['b2_app_key']:
- \$config['b2']['b2_bucket_id']:

image not found or type unknown

B2

ImgURL - - B2"URL"

image not found or type unknown

CloudFlare CDN

B2CloudFlareCDNB2CloudFlare CDN



- /
- B2

TENCENT COS

COS 腾讯云 Cloud Object Storage 腾讯云 COS

TENCENT bucket

腾讯云 - 腾讯云 - 腾讯云“腾讯云”

img 未找到或类型未知



腾讯云 <https://console.cloud.tencent.com/cam/capi> 腾讯云

img 未找到或类型未知

腾讯云 <APPID><SecretId><SecretKey> 腾讯云

TENCENT COS 腾讯云

腾讯云 <https://cloud.tencent.com/document/product/436/6224>

腾讯云 cos.ap-guangzhou.myqcloud.com”



config.php 腾讯云 COS 腾讯云

- `$config['cos']['app_id']`: 腾讯云 APPID
- `$config['cos']['access_key_id']`: 腾讯云 SecretId
- `$config['cos']['access_key_secret']`: 腾讯云 SecretKey
- `$config['cos']['host']`: 腾讯云 cos.ap-guangzhou.myqcloud.com

腾讯云COS

imgURL - - - COS - COS

img not found or type unknown



- /
- `config.php` `bu-` `et`
- bucket bucket bucket
- bucket bucket

FTP

FTP 连接失败 PHP 报错 ImgURL Pro 报错 FTP 连接失败

img not found or type unknown



FTP 连接失败 A 报错 A 报错 B 报错 B 报错

1. B 报错 B
2. B 报错 FTP 报错 B
3. config.php 报错 FTP
4. ImgURL - 报错 - 报错 - FTP 报错 B 报错



config.php FTP FTP 连接失败

- \$config['ftp']['hostname']:FTP 报错 IP
- \$config['ftp']['username']:FTP
- \$config['ftp']['password']:FTP

FTP

ImgURL - 报错 - 报错 - FTP FTP 连接失败

img not found or type unknown



pu /www/server/pure-ftp/etc/pure-ftp.conf

□□

TLS 0

□□□□ /etc/init.d/pure-ftpd restart

□□□□

- **FTP**□□□□□□□□□□/□
- □□□**docker**□□**FTP**



imgURL Pro v1.1



- -

img
image not found or type unknown

-
-
-



- - https://portal.qiniu.com/user/key AccessKey/SecretKey

img
image not found or type unknown



config.php

- \$config['qiniu']['AccessKey']AccessKey
- \$config['qiniu']['SecretKey']SecretKey
- \$config['qiniu']['bucket']
- \$config['qiniu']['up_host']https://developer.qiniu.com/kodo/manual/1671/region-en
http://up-z2.qiniup.com

img
image not found or type unknown



imgURL - - - -

img e not found or type unknown



- /
- bucket
- bucket

AWS S3

2.0.0 搭建AWS S3 minio 搭建AWS S3

config.php


config.php S3

```
$config['s3']['region'] = 'us-east-1';
$config['s3']['endpoint'] = 'http://minio.xxx.com:9000';
$config['s3']['key'] = 'xxx';
$config['s3']['secret'] = 'xxx';
$config['s3']['bucket'] = 'xxx';
```

- region
- endpointS3 http://xxx.com:9000
- key:minio
- bucket



- / S3 S3



本地 Backblaze B2 FTP 腾讯COS 七牛云 S3

绑定域名 https://v.bmp.ovh/


权重 0

游客上传 ☐ 是 ☒ 否

开关 ☐


保存

S3 “ ” S3



- `$config['s3']['region']` `cn-south-1`
- `$config['s3']['endpoint']` `Endpoint https / https://s3-cn-south-1.qiniucs.com`

<https://portal.giniu.com/user/key> AccessKey/SecretKey

- `$config['s3']['key']` AccessKey
- `$config['s3']['bucket']` 



```
$config['s3']['region'] = 'us-east-1';
$config['s3']['endpoint'] = 'http://minio.xxx.com:9000';
$config['s3']['key'] = 'xxx';
```

```
$config['s3']['secret'] = 'xxx';  
$config['s3']['bucket'] = 'xxx';
```

配置OSS Region和Endpoint

- region 配置Region ID
- endpoint http://buket. Endpoint http://bucket.oss-cn-hangzhou.aliyuncs.com
- bucket 配置Bucket名称

配置AccessKey ID和AccessKey Secret

- key 配置AccessKey ID
- secret 配置AccessKey Secret

配置完成


```
$config['s3']['region'] = 'oss-ap-southeast-1';  
$config['s3']['endpoint'] = 'http://bucket.oss-ap-southeast-1.aliyuncs.com';  
$config['s3']['key'] = 'xxx';  
$config['s3']['secret'] = 'xxx';  
$config['s3']['bucket'] = 'bucket';
```

Backblaze B2

Backblaze <https://www.backblaze.com/> 1TB 5\$/月

B2 - 配置

- 注册Backblaze账号
- 创建Bucket
- 配置Bucket



配置 - 配置



{"cache-control": "max-age=604800"} 配置

image not found or type unknown



- " "

image not found or type unknown



image not found or type unknown



B2 - -

image not found or type unknown



image not found or type unknown



config.php S3B2

```
/*----- S3 -----*/  
$config['s3']['region'] = 'us-west-002';  
$config['s3']['endpoint'] = 'https://s3.us-west-002.backblazeb2.com';  
$config['s3']['key'] = 'xxx';  
$config['s3']['secret'] = 'xxx';  
$config['s3']['bucket'] = 'xxx';  
/*----- S3END -----*/
```

- key: keyID
- secret: applicationKey
- bucket B2

region/endpoint B2 https://bucket.s3.us-west-002.backblazeb2.com/imgs/2022/03/28/00f925c6550c3154.jpg

region us-west-002 endpoint https://s3.us-west-002.backblazeb2.com