



- 5.6 <= PHP <= 7.4
- 5.6 <= MySQL <= 5.7



ImgURL Pro<http://shop.imgur.org/order>

img image not found or type unknown

key **txt**



2. x. x




MySQL 5.6 5.7 8.x



ImgURL 2.x PHP

- fileinfo
- redis
- imagemagick
- exif

□□□□□□□□□□“PHP□□ - □□□□”□□□□□□□□□□




Nginx

nginx server nginx

```
location / {
    try_files $uri $uri/ /index.php?$query_string;
}

location ~* \.(db3|json)$ {
    deny all;
}

location ~* ^/(temp|upload|imgs|data|application|static|system)/.*.(php|php5)$ {
    return 403;
}
```



Apache

Apache .htaccess Apache

```
RewriteEngine On
RewriteCond %{REQUEST_FILENAME} -s [OR]
```

```
RewriteCond %{REQUEST_FILENAME} -l [OR]
RewriteCond %{REQUEST_FILENAME} -d
RewriteRule ^.*$ - [NC,L]
RewriteRule ^.*$ index.php [NC,L]
```

IIS 7+ 配置 IIS 配置

web.config 配置:

```
<?xml version="1.0" encoding="UTF-8"?>
<configuration>
  <system.webServer>
    <rewrite>
      <rules>
        <rule name="Rule" stopProcessing="true">
          <match url="^(.*)$" ignoreCase="false" />
          <conditions>
            <add input="{REQUEST_FILENAME}" matchType="IsFile" ignoreCase="false"
negate="true" />
            <add input="{REQUEST_FILENAME}" matchType="IsDirectory" ignoreCase="false"
negate="true" />
            <add input="{URL}" pattern="^/favicon.ico$" ignoreCase="false" negate="true" />
          </conditions>
          <action type="Rewrite" url="index.php/{R:1}" appendQueryString="true" />
        </rule>
      </rules>
    </rewrite>
  </system.webServer>
</configuration>
```



image not found or type unknown



image not found or type unknown



- `imgURL`
- `KEY`

image not found or type unknown



“ ” “login”



config.php redis

```
$config['redis']['password'] = NULL;
```

Redis

```
$config['redis']['password'] = "redis";
```