

# OneNav




- 5.6 <= PHP <= 7.4
- SQLite
- PHP pdo\_sqlite



1. <https://github.com/helloxz/onenav/releases>
- 2.

image not found or type unknown



- 3.

<https://git.xiaoz.me/xiaoz/onenav/tags>

`ls -l /usr/local/www`



Nginx

```
#  
location ~* ^/(class|controller|db|data|functions|templates)/.*.(db3|php|php5|sql)$ {  
    return 403;  
}  
location ~* ^/(data)/.*.(html)$ {
```

```
deny all;

}

location /db {
    deny all;
}

#
rewrite ^/click/(.*) /index.php?c=click&id=$1 break;
rewrite ^/api/(.*)"?(.*) /index.php?c=api&method=$1&$2 break;
rewrite /login /index.php?c=login break;
```

- `Ap.htaccess`
- `Docker`
- 

# Nginx

□□□□ Docker □□□□□□□□□□□□□□□□ 2 □□□□

1.
2.

Nginx

```
server {
    listen 80;

    #[]

    server_name demo.onenav.top;

    #[]

    #access_log /data/logs/demo.onenav.top_nginx.log xlog;
    charset utf-8,gbk;

    location / {
        proxy_connect_timeout 10;

        # Default is HTTP/1, keepalive is only enabled in HTTP/1.1
        proxy_http_version 1.1;

        proxy_set_header Connection "";

        #chunked_transfer_encoding off;
```

```
    proxy_set_header Host $host;
    ##3080#####
    proxy_pass http://127.0.0.1:3080;
    proxy_set_header X-Real-IP $remote_addr;
    proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
}
}
```

---

## #1

xiaoz ## 28 ## 2024 07:45:50

xiaoz ## 28 ## 2024 07:48:06