

OneNav



- 5.6 <= PHP <= 7.4
- SQLite
- PHP pdo_sqlite



1. <https://github.com/helloxz/onenav/releases>
- 2.

image not found or type unknown



- 3.

<https://git.xiaoz.me/xiaoz/onenav/tags>

`ls -l /usr/local/www`



`nginx.conf`

```
#  
location ~* ^/(class|controller|db|data|functions|templates)/.*.(db3|php|php5|sql)$ {  
    return 403;  
}  
location ~* ^/(data)/.*.(html)$ {
```

```
deny all;

}

location /db {

    deny all;

}

#[]

rewrite ^/click/(.*) /index.php?c=click&id=$1 break;

rewrite ^/api/(.*)?(.*) /index.php?c=api&method=$1&$2 break;

rewrite /login /index.php?c=login break;
```

- `Ap.htaccess`
- `Docker`
-

Nginx

□□□□□ Docker □□□□□□□□□□□□□□□□ 2 □□□□□

1. `http://IP`
2. `Nginx`

Nginx

```
server {
    listen 80;

    # 配置
    server_name demo.onenav.top;

    # 日志
    #access_log /data/logs/demo.onenav.top/nginx.log xlog;
    charset utf-8, gbk;

    location / {
        proxy_connect_timeout 10;

        ## Default is HTTP/1, keepalive is only enabled in HTTP/1.1
        proxy_http_version 1.1;
        proxy_set_header Connection "";
        ##chunked transfer encoding off;
```

```
    proxy_set_header Host $host;
    ##3080#####
    proxy_pass http://127.0.0.1:3080;
    proxy_set_header X-Real-IP $remote_addr;
    proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
}

}
```

#1

xiaoz ## 28 ## 2024 07:45:50

xiaoz ## 28 ## 2024 07:48:06