

# Docker Zdir

## Docker

Docker

```
docker run -d --name="zdir" \  
  -v /data/apps/zdir/data: /data/apps/zdir/data \  
  -v /data/public: /data/apps/zdir/data/public \  
  -p 6080:6080 \  
  --restart=always \  
  helloz/zdir: 3.3.0
```

- /data/apps/zdir/data /data/apps/zdir/data
- /data/public Zdir
- 6080 Zdir 6080

## docker compose


Zdir docker-compose.yml

```
version: '3.3'  
services:  
  zdir:  
    container_name: zdir  
    volumes:  
      - '/data/apps/zdir/data: /data/apps/zdir/data'  
      - '/data/public: /data/apps/zdir/data/public'  
    ports:  
      - '6080:6080'  
    restart: always  
    image: 'helloz/zdir: 3.3.0'
```

docker-compose up -d




Docker  zdir helloz/zdirlatest"




2


- 1.
- 2.



- 1.
- 2. 
  - /data/apps/zdir/data Zdir
  - /data/apps/zdir/data/public
- 3.



6800



http://IP: 6080/#/user/login

image not found or type unknown



---

☐☐☐ #16

☐ xiaoz ☐☐ 17 ☐☐ 2022 07:35:57

☐ xiaoz ☐☐ 26 ☐☐ 2023 04:35:57